

FLOS

F7431000 Polished Aluminium

Taraxacum 88 Suspension 1

Designed by Achille Castiglioni, 1988



LED retrofit - 60 x 28W

Suspension lamp providing direct and reflected lighting. Structure formed by 20 pressed, polished aluminum triangles. 60 clear Globolux lamps housed around the structure. Steel ceiling fitting and rose.

Are you a professional and your project needs consulting and support?


[BOOK AN APPOINTMENT](#)

Main specifications

Mounting	Suspension
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	LED retrofit
Lamp holders	E27
Iicos	HSGSG
Number of heads	60
Power (W)	28

Physical

Colour	Polished Aluminium
Length (mm)	800
Cord length (mm)	5500
Canopy dimension (mm)	85
Canopy width (mm)	180
Net weight (kg)	20.8
Package volume (m3)	0.58
IP internal	20



Download

[Mounting instructions](#)

[PDF](#)



Photometric

Lighting type	Total
Light distribution	Asymmetric
Extreme cut off	No

Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Bulbs



NOT INCLUDED

RF24894

LED Global Lamp 3W 200lm E27
180-265V 2500K



INCLUDED

RF27119

LED Global Lamp E27 3W 2500K
Dimmable (Set 15pcs)

Spare Parts



02. E27 Lamp Holder Black

RF03927



RF03927

E27 Lamp Holder Black